

12

ACCESSORI
AIR TOOLS

IT100
HS CODE: 84242000

**Pistola gonfiaggio
professionale
lunghezza tubo
1000mm omologata
EN12645**

Professional inflation pistol, tube
length 1000mm certified
EN12645

Pistolet de gonflage
professionnel, longueur de
tube 1000mm certifie' EN12645



SINGLE PACK - SINGLE PACK - PACK SINGOLO



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 1000 MM TUBE LENGTH 1000 MM LONGUEUR DE TUBE 1000 MM
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 80MM GAUGE DIAM 80MM MANOMETRE DIAM 80 MM	6	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Manometro/ Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT100	A000YB0100001	8055773341081	80 mm	12	1/4" UNIV.	1000 mm	0,6	1	box



IT105 HS CODE: 84242000

Pistola gonfiaggio
professionale
Manometro diametro 80 mm
e testina in ottone

Professional inflation pistol
pressure gauge diameter
80 and brass head

Pistolet de gonflage
professionnel manomètre
diamètre 80 et tete laiton

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 750 MM TUBE LENGTH 750 MM LONGUEUR DE TUBE 750 MM
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 80MM GAUGE DIAM 80MM MANOMETRE DIAM 80 MM	6	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Manometro/ Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT105	A000YB1200001	8055773343559	80 mm	12	1/4" UNIV.	750 mm	0,6	1	VRCA


INFLATING

IT110
IT110 M
HS CODE: 84242000

Pistola gonfiaggio
professionale
omologata Francia
86/217/ECC

Professional inflation pistol
Certified France
86/217/ECC

Pistolet de gonflage
professionnel
Omologation France
86/217/ECC



MULTIBOX




Foto puramente indicativa


TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 300MM TUBE LENGTH 300 MM LONGUEUR DE TUBE 300 MM
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 80MM GAUGE DIAM 80MM MANOMETRE DIAM 80 MM	6	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT110	A000YB0200001	8055773341098	63 mm	12	1/4" UNIV.	300 mm	0,6	1	VRAC
IT110 M	A000YB0200001	8055773341098	63 mm	12	1/4" UNIV.	300 mm	3	5	Multibox



IT115 HS CODE: 84242000

Pistola gonfiaggio
professionale
attacco per ruote
gemellari
lunghezza

tubo 750mm

Professional inflation pistol
connection for twin wheels
tube length 750mm

Pistolet de gonflage
professionnel, connexion
pour roues jumelées,
longueur de tube 750mm

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 750 MM TUBE LENGTH 750 MM LONGUEUR DE TUBE 750 MM
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM63 MM GAUGE DIAM 63 MM MANOMETRE DIAM 63 MM	6	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manome- tro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT115	A000YB0400001	8055773341111	63 mm	12	1/4" UNIV.	750 mm	0,7	1	VRAC

**IT120
IT120 M
HS CODE: 90262040**

Manometro di verifica con pulsante di scarico, lunghezza tubo 300 mm (Auto - Moto - MTB valvola Shrader)

Check pressure gauge with release button, hose length 300 mm (Cars - Motorcycles - MTB Shrader valve)

Manomètre de contrôle avec bouton de vidange, laiton longueur 300 mm (Voitures - Motos - VTT valve Shrader)




Foto puramente indicativa

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE			
1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 300 MM TUBE LENGTH 300 MM LONGUEUR DE TUBE 300 MM
2	PULSANTE SCARICO ARIA BOTTON FOR AIR DISCHARGE BOUTON D'ÉVACUATION DES CONDENSATS	5	PROTEZIONE MANOMETRE IN GOMMA RUBBER PRESSURE GAUGE PROTECTION PROTECTION DE MANOMÈTRE EN CAOUTCHOUC
3	MANOMETRO DIAM 63 MM GAUGE DIAM 63 MM MANOMÈTRE DIAM 63 MM		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT120	A000YB0500001	8055773341128	63 mm	12	1/4" UNIV.	300 mm	0,25	1	VRAC
IT120 M	A000YB0500001	8055773341128	63 mm	12	1/4" UNIV.	300 mm	2,5	10	Multibox



IT125
IT125 M
HS CODE: 84242000

Pistola gonfiaggio
professionale
manometro
diametro 63 mm

Professional inflation
pistol pressure gauge
diameter 63 and
brass head

Pistolet de gonflage
professionnel
manomètre diamètre 63
et tete laiton

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE


1	UGELLO DI GONFIAGGIO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD DE GONFLAGE UNIVERSEL	4	LUNGHEZZA TUBO 300 MM TUBE LENGTH 300 MM LONGUEUR DE TUBE 300 MM
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 63 MM GAUGE DIAM 63 MM MANOMETRE DIAM 63 MM	6	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE

MULTIBOX



Foto puramente indicativa

APPLICAZIONI - APPLICATIONS - APPLICATIONS




Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tube-Tube	kg	PCS/Package	Package
IT125	A000YB1100001	8055773343542	63 mm	12	1/4" UNIV.	300 mm	0,5	1	VRAC
IT125 M	A000YB1100001	8055773343542	63 mm	12	1/4" UNIV.	300 mm	3	6	Multibox

IT130
IT130 M
HS CODE: 84242000

Pistola gonfiaggio palloni

Balloon inflation pistol

Pistolet de gonflage de ballon



MULTIBOX



Foto puramente indicativa

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO PALLONI BALLOON QUICK COUPLING RACCORD DE GONFLAGE BALLONS	4	LUNGHEZZA TUBO 300 MM TUBE LENGTH 300 MM LONGUEUR DE TUBE 300 MM
2	PULSANTE SCARICO ARIA BOTTON FOR AIR DISCHARGE BOUTON D'ÉVACUATION DES CON- DENSATS	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 63 MM GAUGE DIAM 63 MM MANOMETRE DIAM 63 MM	6	PROTEZIONE MANOMETRE IN GOMMA RUBBER PRESSURE GAUGE PROTECTION PROTECTION DE MA- NOMÈTRE EN CAOUTCHOUC

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manome- tro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT130	A000YB0700001	8055773341142	63 mm	12	1/4" UNIV.	300 mm	0,55	1	VRAC
IT130 M			63 mm	12	1/4" UNIV.	300 mm	5,5	10	Multibox



IT135
IT135 M
HS CODE: 84242000

Pistola gonfiaggio
cicli da corsa
(incluso valvole
Presta)

Race bike inflation pistol
(including Presta valves)

Pistolet de gonflage à cycle
(y compris valves Presta)

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	UGELLO DI GONFIAGGIO DEDICATO A CICLI IN OTTONE BRASS DEDICATED BIKE COUPLING RACCORD DE GONFLAGE VELO EN LAITON	4	LUNGHEZZA TUBO 300 MM TUBE LENGTH 300 MM LONGUEUR DE TUBE 300 MM
2	PULSANTE SCARICO ARIA BOTTON FOR AIR DISCHARGE BOUTON D'ÉVACUATION DES CONDENSATS	5	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
3	MANOMETRO DIAM 63 MM GAUGE DIAM 63 MM MANOMETRE DIAM 63 MM	6	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM

MULTIBOX



Foto puramente indicativa

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT135	A000YB0600001	8055773341135	63 mm	12	1/4" UNIV.	300 mm	0,55	1	VRAC
IT135 M	A000YB0600001	8055773341135	63 mm	12	1/4" UNIV.	300 mm	5,5	10	Multibox

IT140
HS CODE: 84818099

**Valvola gonfiaggio
 ruote gemellate**

senza manico

Twin wheel inflation
 valve without handle

Valve de gonflage à double
 roue sans poignée



**TECHNICAL CHARACTERISTICS -
 TECHNICAL CHARACTERISTICS -
 CARATTERISTICHE TECNICHE**

1	VALVOLA GONFIAGGIO RUOTE GEMELLATE INFLATING VALVE FOR TWINS TYRES VALVE DE GONFLAGE À DEUX ROUES
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tubo-Tube	kg	PCS/Package	Package
IT140	A000YB0900001	8055773341166	--	12	1/4" F	--	0,1	1	VRAC



IT145
HS CODE: 84818099

Valvola gonfiaggio ruote gemellate con manico

Twin wheel inflation valve with handle

Valve de gonflage à double roue avec poignée

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	VALVOLA GONFIAGGIO RUOTE GEMELLATE INFLATING VALVE FOR TWINS TYRES VALVE DE GONFLAGE À DEUX ROUES
2	COMPLETO CON MANICO COMPLETE WITH HANDLE COMPLET AVEC POIGNÉE
3	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	D. Manometro/Gauge	bar	BSP	Tube-Tube	kg	PCS/Package	Package
IT145	A000YB0800001	8055773341159	--	12	1/4" F	--	0,1	1	VRAC

IT150
IT150 M
HS CODE: 84811099

Testina gonfiaggio valvola Presta (bici corsa)

Adaptor valve inflation presta (road bike)

Tête de gonflage à valve Presta (vélo de route)



Foto puramente indicativa

**TECHNICAL CHARACTERISTICS -
 TECHNICAL CHARACTERISTICS -
 CARATTERISTICHE TECNICHE**

1	TESTINA GONFIAGGIO PER CICLO DA CORSA INFLATION HEAD FOR RACING CYCLES TÊTE DE GONFLAGE POUR VÉLOS DE COURSE
2	FILETTO PER ATTACCO PISTOLA GONFIAGGIO THREAD FOR INFLATING GUN ATTACHMENT FILETAGE POUR POIGNE' GONFLAGE

APPLICAZIONI - APPLICATIONS - APPLICATIONS




Model	Code	EAN	Descrizione - Description	Type	bar	kg	PCS/Package	Package
IT150	A000YC1000001	8055773341180	Adattatore Bicicletta Corsa - Race Bicycle Adaptor	Presta	12	0,01	1	VRAC
IT150 M	A000YC1000001	8055773341180	Adattatore Bicicletta Corsa - Race Bicycle Adaptor	Presta	12	0,2	20	Multibox

IT155
IT155 M
HS CODE: 84811099

Testina gonfiaggio palloni

Balloon inflation adaptor

Tête de gonflage du ballon



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	TESTINA GONFIAGGIO PALLONI BALLOON INFLATION GUN TETE DE GONFLAGE DU BALLON
2	FILETTO PER ATTACCO PISTOLA GONFIAGGIO THREAD FOR INFLATING GUN ATTACHMENT FILETAGE POUR POIGNE' GONFLAGE



Foto puramente indicativa

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	kg	PCS/Package	Package
IT155	A000YC0200001	8055773341197	Adattatore Palloni - Balloon Adaptor	6	0,01	1	VRAC
IT155 M	A000YC0200001	8055773341197	Adattatore Palloni - Balloon Adaptor	6	0,2	20	Multibox

IT160
IT160 M
HS CODE: 84811099

Testina gonfiaggio
gonfiabili
(salvagenti ecc.)

Inflatable adaptor (swimming
pools, dinghies, etc.) adaptor

Tête gonflable (piscines,
canots, etc.)





Foto puramente indicativa


TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TESTINA GONFIAGGIO PER CANOTTI INFLATING HEAD FOR RUBBER BOATS TÊTE DE GONFLAGE GONFLABLE
2	FILETTO PER ATTACCO PISTOLA GONFIAGGIO THREAD FOR INFLATING GUN ATTACHMENT FILETAGE POUR POIGNE' GONFLAGE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	kg	PCS/Package	Package
IT160	A000YC0300001	8055773341203	Adattatore Salvagenti - Inflatable Boats Adaptor	4	0,01	1	VRAC
IT160 M	A000YC0300001	8055773341203	Adattatore Salvagenti - Inflatable Boats Adaptor	4	0,2	20	Multibox



IT165
IT165 M
HS CODE: 84811099

**Kit 3 testine
 gonfiaggio
 (palloni+cicli+
 gonfiabili)**

**Kit 3 inflation adaptor
 (Balloons + Cycles +
 inflatables)**

**Kit 3 têtes de gonflage (Ballons
 + Cycles + gonflables)**


TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TESTINA GONFIAGGIO PER PALLONE BALLOON INFLATION HEAD TÊTE DE GONFLAGE DE BALLON
2	TESTINA GONFIAGGIO PER CANOTTI INFLATING HEAD FOR RUBBER BOATS TÊTE DE GONFLAGE GONFLABLE
3	TESTINA GONFIAGGIO CICLI INFLATING HEAD CICLE TÊTE DE GONFLAGE PAR CYCLE



Foto puramente indicativa

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	kg	PCS/Package	Package
IT165	A000YC0400001	8055773341210	Kit Adattatore - Adaptor Kit	4 - 12	0,03	1	VRAC
IT165 M	A000YC0400001	8055773341210	Kit Adattatore - Adaptor Kit	4 - 12	0,21	7	Multibox


IT170
IT170 M
HS CODE: 84818099

Valvola gonfiaggio

in ottone

Bike Inflation valve in brass

Valve de gonflage Velo en laiton



MULTIBOX



Foto puramente indicativa

TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TESTINA GONFIAGGIO PALLONI BALLOON INFLATION GUN TETE DE GONFLAGE DU BALLON
2	FILETTO PER ATTACCO PISTOLA GONFIAGGIO THREAD FOR INFLATING GUN ATTACHMENT FILETAGE POUR POI- GNE' GONFLAGE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	kg	PCS/Package	Package
IT170	A000YC0500001	8055773341227	Adattatore Bicicletta - Bicycle Adaptor	12	0,01	1	VRAC
IT170 M	A000YC0500001	8055773341227	Adattatore Bicicletta - Bicycle Adaptor	12	0,2	20	Multibox



IT200
IT200 M
HS CODE: 84242000

Pistola soffiaggio

Blowing pistol

Blowing pistol


TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	BECCUCCIO 1/4 NOZZLE 1/4 BEC 1/4	4	GRANDE GRILLETTO BIG TRIMMER GRAND DÉCLENCHEUR
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		



Foto puramente indicativa

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT200	A000YC1300001	8055773341265	Soffiaggio - Blowing	12	1/4" UNIV.	0,15	1	VRAC
IT200 M	A000YC1300001	8055773341265	Soffiaggio - Blowing	12	1/4" UNIV.	3	20	Multibox

IT205
IT205 M
HS CODE: 84243010

Pistola soffiaggio
effetto venturi

Venturi effect blow pistol

Soufflette à effet venturi



MULTIBOX




Foto puramente indicativa


TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	BECCUCCIO EFFETTO VENTURI NOZZLE VENTURI BEC VENTURI	4	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT205	A000YC1400001	8055773341272	Soffiaggio Venturi - Venturi Blowing	12	1/4" UNIV.	0,175	1	VRAC
IT205 M	A000YC1400001	8055773341272	Soffiaggio Venturi - Venturi Blowing	12	1/4" UNIV.	3,5	20	Multibox



IT210
HS CODE: 84243010

**Pistola soffiaggio
 con canna a 90°
 lunga 190 mm (per
 stampi)**

Blow gun with 90 °long
 barrel 190 mm (for
 molds)

Soufflette à 90 ° canon
 long 190 mm (pour moules)

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CANNA PER STAMPI BENT NOZZLE BUSE COUDÉE	4	GRANDE GRILLETTO BIG TRIMMER GRAND DÉCLENCHEUR
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT210	A000YC1600001	8055773341296	Soffiaggio 90° - 90° Blowing	12	1/4" UNIV.	0,175	1	VRAC


IT215

HS CODE: 84243010

Pistola soffiaggio
con canna lunga
190 mm

Blow pistol with 190 mm
long barrel

Soufflette avec
canon long de 190 mm



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	LUNGHEZZA CANNA 190 MM NOZZLE LENGTH 190 MM LONGUEUR DE BUSE 190 MM	4	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
2	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT215	A000YC1500001	8055773341289	Soffiaggio canna lunga - Long nozzle Blowing	12	1/4" UNIV.	0,175	1	VRAC



IT220
IT220 M
HS CODE: 84243010

Pistola soffiaggio
apertura progressiva
con canna a 20°
lunga 110 mm


Progressive opening
 blow pistol with 110 mm
 long barrel at 20°

Soufflette à ouverture
 progressive avec canon
 long de 110 mm à 20°

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	LUNGHEZZA CANNA 110 MM NOZZLE LENGTH 110 MM LONGUEUR DE BUSE 110 MM	4	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
2	CORPO IN PLASTICA PLASTIC BODY CORPS EN PLASTIQUE	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT220	A000YC1700001	8055773341302	Soffiaggio Progressivo - Progressive Blowing	12	1/4" UNIV.	0,15	1	VRAC
IT220 M	A000YC1700001	8055773341302	Soffiaggio Progressivo - Progressive Blowing	12	1/4" UNIV.	1,5	10	Multibox

IT300
HS CODE: 84243010

Pistola lavaggio
tazza inferiore 1kg

Lower cup washing pistol
1kg

Pistolet de lavage
tasse inférieure 1kg



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
2	COPERCHIO TAZZA IN ALLUMINIO TOP ALL IN ALUMINIUM COUVERCLE DE GOBELET EN ALUMINIUM	5	COMODO GANCIO USEFUL HOOK CROCHET UTILE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE DI USCITA OUTPUT REGULATION REGULATION DE SORTIE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT300	A000YC0900001	8055773341319	Lavaggio - Washing	10	1/4" UNIV.	0,5	1	VRAC



IT305
HS CODE: 84243010

**Pistola Aria/Acqua
 tazza inferiore 1kg**

Air Water pistole lower
 cup 1kg

Pistolet air/eau godet inférieur
 1kg

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
2	TAZZA IN ALLUMINIO CUP IN ALUMINIUM GOBELET EN ALUMINIUM	5	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
3	REGOLAZIONE DI USCITA OUTPUT REGULATION REGULATION DE SORTIE	6	COMODO GANCIO USEFULL HOOK CROCHETE UTILE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Packa- ge	Package
IT305	A000YC0600001	8055773341234	Aria Acqua - Air Water	12	1/4" UNIV.	0,5	1	VRAC

IT310
HS CODE: 84243010

Pistola Aria/Acqua con attacco Garden

Air / Water pistol with Garden connection

Pistolet Air/Eau avec connexion Jardin



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
2	ATTACCO TUBO GIARDINO GARDEN HOSE FITTING RACCORD DE TUYAU JARDIN	5	GRANDE GRILLETTO BIG TRIMMER GRAND DÉCLENCHEUR
3	REGOLAZIONE DI USCITA OUTPUT REGULATION REGULATION DE SORTIE	6	COMODO GANCIO USEFULL HOOK CROCHETE UTILE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT310	A000YC0800001	8055773341241	Aria Acqua Giardino - Air Water Garden	10	1/4" UNIV.	0,25	1	VRAC



IT315
HS CODE: 84243010

Pistola Aria/Acqua con attacco resca 12mm

Air / Water pistol with
 12mm barb attachment

Pistolet air/eau avec embout
 cannelé de 12 mm

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL
2	ATTACCO RESCA 1/2" HOSE FITTING 1/2" RACCORD BARBE 1/2"	5	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
3	REGOLAZIONE DI USCITA OUTPUT REGULATION REGULATION DE SORTIE	6	COMODO GANCIO USEFULL HOOK CROCHETE UTILE

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT315	A000YC0100001	8055773341258	Aria Acqua Giardino - Air Water Garden	12	1/4" UNIV.	0,25	1	VRAC

IT400
HS CODE: 84242000

Aerografo tazza inferiore 1kg chiusura autoclave

Painting pistol lower cup 1kg autoclave closure

Aérographe tasse inférieure 1kg fermeture autoclav



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	REGOLAZIONE GETTO FLOW ADJUSTMENT REGLAGE DU JET
2	REGOLAZIONE VENTAGLIO VERNICIATURA PAINTING FAN ADJUSTMENT RÉGLAGE DU VENTILATEUR DE PEINTURE	5	CHIUSURA AUTOCLAVE AUTOCLAVE CLOSURE FERMETURE AUTOCLAV
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE EMISSIONE EMISSION REGULATION REGLEMENT DES EMISSIONS

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	Ugello - Nozzle	bar	BSP	kg	PCS/Package	Package
IT400	A000YA0100001	8055773341036	1 kg Autoclave - 1 kg Autoclave	1,5 mm	8	UNIV.	0,75	1	VRAC



IT405
HS CODE: 84242000

Aerografo tazza inferiore 1kg

Painting pistol lower cup 1kg

Aérographe tasse inférieure 1kg

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	UGELLO NOZZLE BUSE
2	REGOLAZIONE VENTAGLIO VERNICIATURA PAINTING FAN ADJUSTMENT RÉGLAGE DU VENTILATEUR DE PEINTURE	5	REGOLAZIONE EMISSIONE EMISSION REGULATION RÈGLEMENT DES EMISSIONS
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE GETTO FLOW ADJUSTMENT REGLAGE DU JET

APPLICAZIONI - APPLICATIONS - APPLICATIONS




Model	Code	EAN	Descrizione - Description	Ugello - Nozzle	bar	BSP	kg	PCS/Package	Package
IT405	A000YA0200001	8055773341043	Aerografo 1 kg - Spray Painting 1 kg	1,5 mm	8	UNIV.	0,65	1	VRAC

IT410
HS CODE: 84242000

Aerografo tazza superiore 0,5kg

Painting upper cup
0,5kg

Aérographe tasse
supérieure de 0,5 kg



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	UGELLO NOZZLE BUSE
2	REGOLAZIONE VENTAGLIO VERNICIATURA PAINTING FAN ADJUSTMENT RÉGLAGE DU VENTILATEUR DE PEINTURE	5	REGOLAZIONE EMISSIONE EMISSION REGULATION REGLAMENT DES EMISSIONS
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE GETTO FLOW ADJUSTMENT REGLAGE DU JET

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	Ugello - Nozzle	bar	BSP	kg	PCS/Packa- ge	Package
IT410	A000YA0300001	8055773341050	Aerografo 0,5kg - Spray Painting 0,5 kg	1,5 mm	8	UNIV.	0,55	1	VRAC



IT415
HS CODE: 84242000

Aerografo tazza inferiore 1kg

Painting pistole lower cup
 1kg

Aérographe tasse
 inférieure 1kg

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	UGELLO NOZZLE BUSE
2	REGOLAZIONE VENTAGLIO VERNICIATURA PAINTING FAN ADJUSTMENT RÉGLAGE DU VENTILATEUR DE PEIN- TURE	5	REGOLAZIONE EMISSIONE EMISSION REGULATION RÉGLEMENT DES EMISSIONS
3	RACCORDO RAPIDO UNIVERSA- LE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE GETTO FLOW ADJUSTMENT RÉGLAGE DU JET

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	Ugello - Nozzle	bar	BSP	kg	PCS/Packa- ge	Package
IT415	A000YA0400001	8055773341067	Aerografo 1 kg - Spray Painting 1 kg	1,2 mm	8	UNIV.	0,65	1	VRAC

IT420
HS CODE: 84242000

Aerografo tazza superiore 0,5kg

Painting upper cup
 0,5kg

Aérographe tasse supérieure de 0,5 kg



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	UGELLO NOZZLE BUSE
2	REGOLAZIONE VENTAGLIO VERNICIATURA PAINTING FAN ADJUSTMENT RÉGLAGE DU VENTILATEUR DE PEINTURE	5	REGOLAZIONE EMISSIONE EMISSION REGULATION RÈGLEMENT DES EMISSIONS
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	6	REGOLAZIONE GETTO FLOW ADJUSTMENT RÈGLAGE DU JET

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	Ugello - Nozzle	bar	BSP	kg	PCS/Package	Package
IT420	A000YA0500001	8055773341074	Aria Acqua Giardino - Air Water Garden	1,2 mm	12	UNIV.	0,55	1	VRAC



IT500
HS CODE: 84242000

Pistola antirombo tazza inferiore 1kg

Anti-noise pistole lower
 cup 1kg

Pistolet pistole anti-bruit
 coupelle inférieure 1kg

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	COMODO GANCIO USEFUL HOOK CROCHET UTILE
2	SERBATOIO DA 1 KG TANK 1 KG TASSE 1 KG	5	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
3	RACCORDO RAPIDO UNIVERSA- LE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS




Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT500	A000YC1100001	8055773341326	Antirombo 1 kg - Anti Noise 1 kg	8	UNIV.	0,5	1	VRAC

IT505
HS CODE: 84242000

Pistola antirombo per scatolati (tubo flessibile)

Soundproofing pistole for molded boxes (flexible hose)

Pistolet insonorisant pour caissons moulés (tuyau souple)



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	COMODO GANCIO USEFUL HOOK CROCHET UTILE
2	TUBO FLESSIBILE FLEXIBLE HOSE TUYAU FLEXIBLE	5	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
3	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL		

APPLICAZIONI - APPLICATIONS - APPLICATIONS




Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT505	A000YC1200001	8055773341333	Antirumbe Scatolati - Mondel Boxes Anti Noise	8	UNIV.	0,3	1	VRAC

IT510
HS CODE: 84242000

Pistola per schiuma poliuretana

Polyurethane foam pistol


Pistolet à mousse de polyuréthane



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	CORPO IN ALLUMINIO ALUMINIUM BODY CORPS EN ALUMINIUM	4	IMPUGNATURA PROFESSIONALE PROFESSIONAL GRIP POIGNEE PROFESSIONNELLE
2	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL	2	TUBO RILSAN RILSAN HOSE TUYAU RILSAN
3	COMODO GANCIO USEFUL HOOK CROCHET UTILE		

APPLICAZIONI - APPLICATIONS - APPLICATIONS



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT510	A000YC0700001	8055773341364	Schiuma Poliuretano - Polyurethane foam	8	UNIV.	0,3	1	VRAC



IT705-710
HS CODE: 40091002

Tubo spirale
lunghezza 5-10 metri

Spiral hose 5-10 mt

Tuyau flexible 5-10 mètres

TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TUBO SPIRALE SPIRAL HOSE TUYAU FLEXIBLE
2	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL

Model	Code	EAN	Descrizione - Description	Tubo - Hose	bar	Ugello - Nozzle	kg	PCS/Packa-ge	Package
IT705	A000YF0100001	8055773341371	Spirale 5 M UNIV - UNIV. Spiral hose 5 M	6x8	16	UNIV	0,2	1	Box
IT710	A000YF0200001	8055773341388	Spirale 10 M UNIV - UNIV. Spiral hose 10 M	6x8	16	UNIV	0,2	1	Box

IT706/707/711/715/720 HS CODE: 40091002 MT 20 tubo PVC

retinato in matassa
completo di attacchi

RRU
20 MT PVC wire mesh
hose complete with
UNIV connections
20 MT Tuyau PVC en
treillis avec raccords UNIV



TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TUBO PVC 20 MT 20 MT PVC HOSE TUYAU PVC 20 MT
2	RACCORDO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING RACCORD RAPID UNIVERSEL

Model	Code	EAN	Descrizione - Description	Tubo - Hose	bar	Outlet	kg	PCS/Package	Package
IT706	A000YF0300001	8055773341395	Tubo PVC 5 M - 5 M PVC Hose	6x11 mm	15	1/4" UNIV	0,7	1	VRAC
IT707	A000YF0400001	8055773341401	Tubo PVC 7 M - 7 M PVC Hose	6x11 mm	15	1/4" UNIV	1	1	VRAC
IT711	A000YF0500001	8055773341418	Tubo PVC 10 M - 10 M PVC Hose	8x13 mm	15	1/4" UNIV	1,2	1	VRAC
IT715	A000YF0600001	8055773341425	Tubo PVC 15 M - 15 M PVC Hose	8x13 mm	15	1/4" UNIV	1,8	1	VRAC
IT720	A000YF0700001	8055773341432	Tubo PVC 20 M - 20 M PVC Hose	10x17 mm	15	1/4" UNIV	2,2	1	VRAC

IT1000 HS CODE: 40091002

Matassa tubo
gomma 100 MT diam

Rubber hose 100 MT diam

écheveau de tuyau en
caoutchouc 100 mt diam


TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	TUBO GOMMA RUBBER HOSE TUYAU CAOUTCHOUC
---	---



Model	Code	EAN	Descrizione - Description	Tubo - Hose	bar	BSP	kg	PCS/Package	Package
IT1000	A000YF1000001	8055773341456	Tubo gomma 100 M - 100 M Rubber Hose	10x17 mm	15	—	12	1	VRAC

IT800
IT801
IT802
HS CODE: 40091002




**Innesto rapido con
raccordo filettato
Femmina**

Female quick coupling

Raccord rapide femelle

Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	kg	PCS/Packa- ge	Package
IT800	A000YD0800001	8055773340381	Innesto UNIV. filettato - UNIV. coupler threaded	UNIV	15	1/4"	0,8	20	Multibox
IT801	A000YD0900001	8055773340398	Innesto UNIV. filettato - UNIV. coupler threaded	UNIV	15	3/8"	1	20	Multibox
IT802	A000YD1000001	8055773340404	Innesto UNIV. filettato - UNIV. coupler threaded	UNIV	15	1/2"	3	10	Multibox

IT 805
IT 806
HS CODE: 40091002



**Innesto attacco
portagomma**

Hose nozzle
connection

Raccord de tuyau

Model	Code	EAN	Descrizione - Description	Tubo - Hose	bar	Outlet	kg	PCS/Packa- ge	Package
IT805	A000YD9000001	8055773344051	Innesto UNIV. Portagomma - UNIV. Coupler rubber hose	6x14 mm	15	UNIV	0,8	20	Multibox
IT806	A000YD9100001	8055773344068	Innesto UNIV. Portagomma - UNIV. Coupler rubber hose	8x17 mm	15	UNIV	1	20	Multibox

MULTIBOX



IT810
IT811
IT812
IT813
HS CODE: 40091002

Innesto attacco
portagomma tubo

Coupling connection
hose hose

Raccord raccord tuyau
flexible

Model	Code	EAN	Descrizione - Description	Outlet	bar	Tubo - Hose	kg	PCS/Package	Package
IT810	A000YD9600001	8055773340336	Innesto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	6 mm	0,02	30	Multibox
IT811	A000YD9700001	8055773340343	Innesto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	8 mm	0,02	30	Multibox
IT812	A000YD9800001	8055773344099	Innesto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	10 mm	0,03	30	Multibox
IT813	A000YD9900001	8055773344105	Innesto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	12 mm	0,03	30	Multibox

MULTIBOX



IT815
IT816
IT817
IT818
HS CODE: 40091002

Innesto attacco per
tubo spirale

Coupling connection for
spiral hose

Raccord de couplage pour
tuyau spiralé


Model	Code	EAN	Descrizione - Description	Outlet	bar	Tubo - Hose	kg	PCS/Packa-ge	Package
IT815	A000YD9600001	8055773344112	Innesto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	4x6 mm	0,05	30	Multibox
IT816	A000YD9700001	8055773344129	Innesto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	6x8 mm	0,05	30	Multibox
IT817	A000YD9800001	8055773344136	Innesto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	8x10	0,06	30	Multibox
IT818	A000YD9900001	8055773344143	Innesto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	10x12	0,06	30	Multibox

IT820
IT821
IT822
HS CODE: 84811099

Rubinetto rapido
Universale maschio

Universal male quick tap

Robinet rapide mâle universel



Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	kg	PCS/Package	Package
IT820	A000YD1100001	8055773340411	Rubinetto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	1/4"	0,08	15	Multibox
IT821	A000YD1200001	8055773340428	Rubinetto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	3/8"	0,085	15	Multibox
IT822	A000YD1300001	8055773340435	Rubinetto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	1/2"	0,09	15	Multibox

IT825
IT826
IT827
HS CODE: 84811099

Rubinetto rapido
Universale maschio
con sicurezza


Universal male quick tap
with safety

Robinet rapide universel mâle
avec sécurité



Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	kg	PCS/Package	Package
IT825	A000YD1400001	8055773340442	Rubinetto UNIV. Sicurezza - UNIV. Safety Coupler	UNIV	15	1/4"	0,1	5	Multibox
IT826	A000YD1500001	8055773340459	Rubinetto UNIV. Sicurezza - UNIV. Safety Coupler	UNIV	15	3/8"	0,11	5	Multibox
IT827	A000YD1600001	8055773340466	Rubinetto UNIV. Sicurezza - UNIV. Safety Coupler	UNIV	15	1/2"	0,12	5	Multibox

MULTIBOX



IT830
IT831
IT832
HS CODE: 84811099

Rubinetto rapido universale con attacco filetto femmina

Universal quick tap with female thread connection

Robinet rapide universel avec connexion filetée femelle

Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	kg	PCS/Package	Package
IT830	A000YD7600001	8055773343917	Rubinetto UNIV. Femmina - UNIV. Coupler Female	UNIV	15	1/4"	0,1	10	Multibox
IT831	A000YD7700001	8055773343924	Rubinetto UNIV. Femmina - UNIV. Coupler Female	UNIV	15	3/8"	0,1	10	Multibox
IT832	A000YD7800001	8055773343931	Rubinetto UNIV. Femmina - UNIV. Coupler Female	UNIV	15	1/2"	0,1	10	Multibox

MULTIBOX



IT835
IT836
HS CODE: 84811099

Rubinetto rapido universale con attacco portagomma

Universal quick tap with hose connection

Robinet rapide universel avec raccord de tuyau

Model	Code	EAN	Descrizione - Description	Outlet	bar	Tubo - Hose	kg	PCS/Package	Package
IT835	A000YD7900001	8055773343948	Rubinetto UNIV. Portagomma - UNIV. Coupler rubber hose	UNIV	15	6x14	0,1	5	Multibox
IT836	A000YD8000001	8055773343955	Rubinetto UNIV. Portagomma - UNIV. Coupler rubber hose	UNIV	15	8x17	0,1	5	Multibox

IT840
IT841
IT842
HS CODE: 84811099

Rubinetto rapido
universale
con attacco tubo


Universal quick tap
with spiral hose
connection

Robinet rapide universel avec
raccord de tuyau spiralé



Model	Code	EAN	Descrizione - Description	Outlet	bar	Tubo - Hose	kg	PCS/Packa- ge	Package
IT840	A000YD8100001	8055773343962	Rubinetto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	6x8 mm	0,13	5	Multibox
IT841	A000YD8200001	8055773343979	Rubinetto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	15	8x10 mm	0,15	5	Multibox
IT842	A000YD8300001	8055773343986	Rubinetto UNIV. spirale - UNIV. Coupler spiral hose	UNIV	20	10x12 mm	0,15	5	Multibox

MULTIBOX



IT855
IT856
IT857
IT858
HS CODE: 84818081
Rubinetto a sfera
FF

FF ball valve

Robinet à tournant sphérique
FF

Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT855	A000YD1700001	8055773340473	Rubinetto a sfera FF - Ball Valve FF	15	1/4"	0,14	5	Multibox
IT856	A000YD1800001	8055773340480	Rubinetto a sfera FF - Ball Valve FF	15	3/8"	0,15	5	Multibox
IT857	A000YD1900001	8055773340497	Rubinetto a sfera FF - Ball Valve FF	15	1/2"	0,17	5	Multibox
IT858	A000YD2000001	8055773340503	Rubinetto a sfera FF - Ball Valve FF	15	3/4"	0,2	5	Multibox

MULTIBOX



IT860
IT861
HS CODE: 40091002

Raccordo Y FFF

FFF Y fitting

Raccord en Y FFF

Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT860	A000YD2400001	8055773340541	Raccordo a Y FFF - Y Fitting FFF	Y	15	1/4"	0,08	20	Multibox
IT861	A000YD2500001	8055773340558	Raccordo a Y FFF - Y Fitting FFF	Y	15	3/8"	0,08	20	Multibox

IT865
IT866
HS CODE: 40091002

Raccordo Y FMF

FMF Y fitting

Raccord en Y FMF



Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Packa-ge	Package
IT865	A000YD2600001	8055773340565	Raccordo a Y FMF - Y Fitting FMF	Y	15	1/4"	0,08	20	Multibox
IT866	A000YD2700001	8055773340572	Raccordo a Y FFF - Y Fitting FFF	Y	15	3/8"	0,08	20	Multibox

IT870
IT871
IT872
HS CODE: 40091002

Raccordo a croce
MFFF


Cross fitting MFFF

Raccord a Croix MFFF



Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Packa-ge	Package
IT870	A000YD2800001	8055773340589	Raccordo a Croce MFFF - Cross Fitting MFFF	90	15	1/4"	0,12	15	Multibox
IT871	A000YD2900001	8055773340596	Raccordo a Croce MFFF - Cross Fitting MFFF	90	15	3/8"	0,13	15	Multibox
IT872	A000YD3000001	8055773340602	Raccordo a Croce MFFF - Cross Fitting MFFF	90	15	1/2"	0,14	15	Multibox

MULTIBOX



IT875
IT876
IT877
HS CODE: 40091002


Raccordo a "T"
FMF

T fitting FMF

Raccord a T FMF

Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT875	A000YD3100001	8055773340619	Raccordo a T FMF - T Fitting FMF	90	15	1/4"	0,5	15	Multibox
IT876	A000YD3200001	8055773340626	Raccordo a T FMF - T Fitting FMF	90	15	3/8"	0,5	15	Multibox
IT877	A000YD3300001	8055773340633	Raccordo a T FMF - T Fitting FMF	90	15	1/2"	0,6	15	Multibox

MULTIBOX



IT880
IT881
IT882
HS CODE: 40091002

Raccordo a "T" FFF

T fitting FFF

Raccord a T FFF

Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT880	A000YD3400001	8055773340640	Raccordo a T FFF - T Fitting FFF	90	15	1/4"	0,1	15	Multibox
IT881	A000YD3500001	8055773340657	Raccordo a T FFF - T Fitting FFF	90	15	3/8"	0,1	15	Multibox
IT882	A000YD3600001	8055773340664	Raccordo a T FFF - T Fitting FFF	90	15	1/2"	0,12	15	Multibox

IT885
IT886
IT887
HS CODE: 40091002

Raccordo a "L" FF

L fitting FF

Raccord a L FF



Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT885	A000YD3700001	8055773340671	Raccordo a L FF - L Fitting FF	90	15	1/4"	0,5	20	Multibox
IT886	A000YD3800001	8055773340688	Raccordo a L FF - L Fitting FF	90	15	3/8"	0,5	20	Multibox
IT827	A000YD3900001	8055773340695	Raccordo a L FF - L Fitting FF	90	15	1/2"	0,6	20	Multibox

IT890
IT891
IT892
HS CODE: 40091002

Raccordo a "L" FM

L fitting FM

Raccord a L FM



Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT890	A000YD4000001	8055773340701	Raccordo a L MF - L Fitting MF	90	15	1/4"	0,5	20	Multibox
IT891	A000YD4100001	8055773340718	Raccordo a L MF - L Fitting MF	90	15	3/8"	0,5	20	Multibox
IT892	A000YD4200001	8055773340725	Raccordo a L MF - L Fitting MF	90	15	1/2"	0,6	20	Multibox

MULTIBOX



IT893, IT894
IT895, IT896
IT897, IT898
HS CODE: 40091002

Riduzione con
filettatura cilindrica

Reduction with
cylindrical thread

Réduction avec filetage
cylindrique

Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT893	A000YD4600001	8055773340763	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	1/4" - 3/8"	0,5	20	Multibox
IT894	A000YD4700001	8055773340770	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	1/8" - 1/2"	0,5	20	Multibox
IT895	A000YD4800001	8055773340787	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	1/4" - 1/2"	0,6	20	Multibox
IT896	A000YD4900001	8055773340794	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	3/8" - 1/2"	0,5	20	Multibox
IT897	A000YD5000001	8055773340800	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	3/8" - 3/4"	0,5	20	Multibox
IT898	A000YD5100001	8055773340817	Riduzione Cilindrica FM - Reduction Cylindrical Thread FM	15	1/2" - 3/4"	0,6	20	Multibox

MULTIBOX



IT900
IT901
IT902
HS CODE: 40091002

Raccordo a "L" MM

L fitting MM

Raccord a L MM


Model	Code	EAN	Descrizione - Description	Angle	bar	BSP	kg	PCS/Package	Package
IT900	A000YD4300001	8055773340732	Raccordo a L MM - L Fitting MM	90	15	1/4"	0,5	20	Multibox
IT901	A000YD4400001	8055773340749	Raccordo a L MM - L Fitting MM	90	15	3/8"	0,5	20	Multibox
IT902	A000YD4500001	8055773340756	Raccordo a L MM - L Fitting MM	90	15	1/2"	0,6	20	Multibox

IT905, IT906
IT907, IT908
IT909
HS CODE: 40091002

Riduzione estesa con filettatura cilindrica

Extended reduction
with cylindrical thread

Réduction prolongée avec
filetage cylindrique



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT905	A000YD5200001	8055773340824	Riduzione Cilindrica MF - Reduction Cylindrical Thread MF	15	1/4" - 1/4"	0,05	20	Multibox
IT906	A000YD5300001	8055773340831	Riduzione Cilindrica MF - Reduction Cylindrical Thread MF	15	1/4" - 3/8"	0,05	20	Multibox
IT907	A000YD5400001	8055773340848	Riduzione Cilindrica MF - Reduction Cylindrical Thread MF	15	1/4" - 1/2"	0,05	20	Multibox
IT908	A000YD5500001	8055773340855	Riduzione Cilindrica MF - Reduction Cylindrical Thread MF	15	3/8" - 3/8"	0,07	20	Multibox
IT909	A000YD5600001	8055773340862	Riduzione Cilindrica MF - Reduction Cylindrical Thread MF	15	3/8" - 1/2"	0,07	20	Multibox

IT910, IT911
IT912
HS CODE: 40091002

Manicotto con filettatura cilindrica FF

Cylindrical manifold
thread FF

Manchon avec filetage
cylindrique FF



Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT910	A000YD5700001	8055773340879	Manicotto FF - Manifold FF	15	1/4"	0,03	20	Multibox
IT911	A000YD5800001	8055773340312	Manicotto FF - Manifold FF	15	3/8"	0,04	20	Multibox
IT912	A000YD5900001	8055773340893	Manicotto FF - Manifold FF	15	1/2"	0,05	20	Multibox

MULTIBOX



IT925
IT926
IT927
HS CODE: 40091002

Rubinetto rapido
universale con
attacco resca per
tubo

Universal quick coupling
for hose

Robinet rapide universel
avec raccord de tuyau

Model	Code	EAN	Descrizione - Description	Outlet	bar	Tubo - Hose	kg	PCS/Package	Package
IT925	A000YD1050001	8055773344150	Rubinetto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	6 mm	0,1	15	Multibox
IT926	A000YD1010001	8055773344167	Rubinetto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	8 mm	0,1	15	Multibox
IT927	A000YD1020001	8055773344174	Rubinetto UNIV. Resca - UNIV. Coupler barb fitting	UNIV	15	10 mm	0,12	15	Multibox

MULTIBOX



IT930
IT931
IT932
HS CODE: 40091002


Innesto rapido con
raccordo filettato
Maschio

Male quick coupling

Raccord rapide mâle

Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	kg	PCS/Package	Package
IT930	A000YD0500001	8055773340350	Innesto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	1/4"	0,08	20	Multibox
IT931	A000YD0600001	8055773340367	Innesto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	3/8"	0,085	20	Multibox
IT932	A000YD0700001	8055773340374	Innesto UNIV. Maschio - UNIV. Coupler Female	UNIV	15	1/2"	0,09	20	Multibox

IT940
IT943
IT945
IT946
HS CODE: 40091002




Nipplo con
filettatura cilindrica MM

Nipple with cylindrical thread MM

Mamelon avec filetage
cylindrique MM

Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT940	A000YD6000001	8055773340909	Nipplo Cilindrico MM - Nipple Cylindrical MM	15	1/4" - 1/4"	0,05	20	Multibox
IT943	A000YD6300001	8055773340930	Nipplo Cilindrico MM - Nipple Cylindrical MM	15	3/8" - 3/8"	0,05	20	Multibox
IT945	A000YD6500001	8055773340954	Nipplo Cilindrico MM - Nipple Cylindrical MM	15	1/2" - 1/2"	0,05	20	Multibox
IT946	A000YD6600001	8055773340961	Nipplo Cilindrico MM - Nipple Cylindrical MM	15	3/4" - 3/4"	0,07	20	Multibox

IT 950, IT 951
IT 952, IT 953
IT 954, IT 955
HS CODE: 40091002



Tappo con filettatura
cilindrica M

Cap with cylindrical thread M

Bouchon avec filetage
cylindrique M

Model	Code	EAN	Descrizione - Description	bar	BSP	kg	PCS/Package	Package
IT950	A000YD6700001	8055773340978	Tappo Cilindrico - Cap Cylindrical	15	1/8"	0,05	20	Multibox
IT951	A000YD6800001	8055773340985	Tappo Cilindrico - Cap Cylindrical	15	1/4"	0,05	20	Multibox
IT952	A000YD6900001	8055773340992	Tappo Cilindrico - Cap Cylindrical	15	3/8"	0,05	20	Multibox
IT953	A000YD7000001	8055773341005	Tappo Cilindrico - Cap Cylindrical	15	1/2"	0,07	20	Multibox
IT954	A000YD7100001	8055773341012	Tappo Cilindrico - Cap Cylindrical	15	3/4"	0,05	20	Multibox
IT955	A000YD7200001	8055773341029	Tappo Cilindrico - Cap Cylindrical	15	1"	0,07	20	Multibox



IT2000
HS CODE: 84814090

Valvola di Sicurezza
Safety Valve
Soupape de securite'

Model	Code	Descrizione - Description	bar	BSP	PCS/Package	Package
IT2000/8	A000YG2800001	Valvola di Sicurezza - Safety Valve	8,5	1/4"	10	Multibox
IT2000/10	A000YG2600001	Valvola di Sicurezza - Safety Valve	10,5	1/4"	10	Multibox
IT2000/11	A000YG3100001	Valvola di Sicurezza - Safety Valve	10,5	3/8"	10	Multibox



HS CODE: 84813099

Valvola di ritegno
Non Return Valve
Clapet de non-retour

Male quick coupling

Raccord rapide mâle

Model	Code	Descrizione - Description	Type	BSP	PCS/Package	Package
IT54/51	A000YE0100001	Valvola di Ritegno - Non Return Valve	MM - DX	1/2" x 3/8"	10	Multibox
IT54/53	A000YE0300001	Valvola di Ritegno - Non Return Valve	MM - SN	1/2" x 3/8"	10	Multibox
IT54/52	A000YE0200001	Valvola di Ritegno - Non Return Valve	MM - DX	1/2" x 1/2"	10	Multibox
IT54/54	A000YE0400001	Valvola di Ritegno - Non Return Valve	MM - SN	1/2" x 1/2"	10	Multibox
IT54/57	A000YE0700001	Valvola di Ritegno - Non Return Valve	FM - DX	1/2" x 1/2"	10	Multibox



IT975

HS CODE: 84149000


Riduttore di pressione da 1/4" con manometro diam 40 e rubinetto rapido universale

1/4 "pressure reducer with manometer diameter 40 and universal quick coupling
Détendeur 1/4" avec manomètre diamètre 40 et raccord rapide universel

TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	REGOLAZIONE PRESSIONE PRESSURE REGULATION RÉGULATION DE LA PRESSION
2	MANOMETRO GAUGE MANOMETRE
3	RUBINETTO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING ROBINET RAPIDE UNIVERSEL

Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	l/min	kg	PCS/Package	Package
IT975	A000YG0100001	8055773341463	Riduttore con manometro - Pressure Reducer with gauge	UNIV	12	1/4"	1700	0,3	1	VRAC



IT976 IT977

HS CODE: 84149000

Riduttore di pressione con filtro da 3/8" con manometro diam 40 e rubinetto rapido universale

3/8" Pressure reducer with filter with manometer diameter 40 and 2 universal quick coupling
Détendeur avec filtre 3/8" avec manomètre diamètre 40 et robinet rapide universel

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	REGOLAZIONE PRESSIONE PRESSURE REGULATION RÉGULATION DE LA PRESSION	4	FILTRO FILTER FILTRE
2	MANOMETRO GAUGE MANOMETRE	5	
3	RUBINETTO RAPIDO UNIVERSALE UNIVERSAL QUICK COUPLING ROBINET RAPIDE UNIVERSEL		

Model	Code	EAN	Descrizione - Description	Outlet	bar	BSP	l/min	kg	PCS/Package	Package
IT976	A000YG0200001	8055773341470	Riduttore-Filtro con manometro - Filter-Pressure Reducer with gauge	UNIV	12	3/8"	1700	0,5	1	Box
IT977	A000YG0300001	8055773341487	Riduttore-Filtro con manometro - Filter-Pressure Reducer with gauge	UNIV	12	1/2"	1700	0,6	1	Box



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE


1	REGOLAZIONE PRESSIONE PRESSURE REGULATION RÉGULATION DE LA PRESSION	4	FILTRO FILTER FILTRE
2	MANOMETRO GAUGE MANOMETRE	5	SCARICATORE CONDENSA DRAIN VALVE DEBIMETRE DE CONDENSATION
3	TAZZA IN METALLO METAL CUP BOL EN METAL		

IT978 IT 979 IT 980
HS CODE: 84149000

Filtro regolatore di pressione da 1/4"
con manometro e tazza in metallo

1/4" pressure regulator filter with pressure gauge
and metal cup
Filtre régulateur de pression 1/4"
avec manomètre et bol en métal

Model	Code	EAN	Descrizione - Description	Micron	bar	BSP	l/min	kg	PCS/Package	Package
IT978	A000YG1200001	8055773344020	FR metallo con manometro - Metal FR with gauge	20	16	1/4"	1700	0,8	1	Box
IT979	A000YG1300001	8055773344037	FR metallo con manometro - Metal FR with gauge	20	16	3/8"	1700	1	1	Box
IT980	A000YG1400001	8055773344044	FR metallo con manometro - Metal FR with gauge	20	16	1/2"	1700	1	1	Box



TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	REGOLAZIONE PRESSIONE PRESSURE REGULATION RÉGULATION DE LA PRESSION	4	FILTRO FILTER FILTRE
2	MANOMETRO GAUGE MANOMETRE	2	LUBRIFICATORE LUBRICATOR LUBRICATEUR
3	TAZZA IN METALLO METAL CUP BOL EN METAL	6	SCARICATORE CONDENSA DRAIN VALVE DEBIMETRE DE CONDENSATION

IT981 IT982 IT983
HS CODE: 84149000

Filtro regolatore + lubrificatore da 1/4"
con manometro e tazze in metallo

1/4" filter regulator + lubricator with pressure
gauge and metal cups
Filtre régulateur 1/4" + lubrificateur avec
manomètre et coupelles métalliques

Model	Code	EAN	Descrizione - Description	Micron	bar	BSP	l/min	kg	PCS/Package	Package
IT981	A000YG1500001	8055773344273	FRL metallo con manometro - Metal FRL with gauge	20	16	1/4"	1700	0,8	1,3	Box
IT982	A000YG1600001	8055773344280	FRL metallo con manometro - Metal FRL with gauge	20	16	3/8"	1700	1	1,3	Box
IT983	A000YG1700001	8055773344297	FRL metallo con manometro - Metal FRL with gauge	20	16	1/2"	1700	1	1,5	Box



IT984 IT985 IT986
HS CODE: 84149000

**Filtro regolatore + lubrificatore
 con manometro e tazze in metallo**

Filter regulator +lubricator with pressure
 gauge and metal cups
 Filtre régulateur lubrificateur avec
 manomètre et coupelles métalliques

TECHNICAL CHARACTERISTICS - TECHNICAL CHARACTERISTICS - CARATTERISTICHE TECNICHE

1	REGOLAZIONE PRESSIONE PRESSURE REGULATION RÉGULATION DE LA PRESSION	4	FILTRO FILTER FILTRE
2	MANOMETRO GAUGE MANOMETRE	5	LUBRIFICATORE LUBRICATOR LUBRICATEUR
3	TAZZA IN METALLO METAL CUP BOL EN METAL		SCARICATORE CONDENZA DRAIN VALVE DEBIMETRE DE CONDENSATION

Model	Code	EAN	Descrizione - Description	Micron	bar	BSP	l/min	kg	PCS/ Package	Package
IT984	A000YG1800001	8055773344303	FRL metallo con manometro - Metal FRL with gauge	20	16	1/4"	1700	0,8	2	Box
IT985	A000YG1900001	8055773344310	FRL metallo con manometro - Metal FRL with gauge	20	16	3/8"	1700	1	2	Box
IT986	A000YG2000001	8055773344327	FRL metallo con manometro - Metal FRL with gauge	20	16	1/2"	1700	1	2	Box



TECHNICAL CHARACTERISTICS
TECHNICAL CHARACTERISTICS
CARATTERISTICHE TECNICHE

1	INTERRUTTORE ON/OFF ON/OFF SWITCH BOUTON ON/OFF
2	4 VIE 4 WAYS 4 VOIES

IT990 IT991
HS CODE: 90322000

pressostato monofase 4 vie

single phase pressure switch 4 ways
Pressostat monophasé 4 voies

Model	Code	EAN	Descrizione - Description	Volt/Hz/ph	bar	BSP	Outlet	kg	PCS/ Package	Package
IT990	A000YG0700001	8055773341524	Pressostato Monof. UNIV. - UNIV. Single Ph. Pressure Switch	230/50/1	12	1/4"	4	0,5	0,5	Box
IT991	A000YG0800001	8055773341531	Pressostato Monof. NEMA - NEMA Single Ph. Pressure Switch	230/50/1	12	1/4"	4	0,6	0,5	Box





IT992 IT993 IT994
HS CODE: 90322000
 pressostato NEMA trifase 4 vie

4-way three-phase NEMA pressure switch
 Nema Pressostat three-phase 4 voies

TECHNICAL CHARACTERISTICS
 TECHNICAL CHARACTERISTICS
 CARATTERISTICHE TECNICHE

1	REGOLAZIONE ON/OFF ON/OFF SWITCH BOUTON ON/OFF
2	4 VIE 4WAYS 4 VOIES

Model	Code	EAN	Descrizione - Description	Volt/Hz/ph	bar	BSP	AMP	HP Max	kg	Package
IT992	A000YG0900001	8055773341548	Pressostato Trif. NEMA - Tree Ph. NEMA Pressure Switch	400/50/3	12	4x1/4"	4 - 6,3	3	1	Box
IT993	A000YG1000001	8055773341555	Pressostato Trif. NEMA - Tree Ph. NEMA Pressure Switch	400/50/3	12	4x1/4"	6,3 - 10	5,5	1	Box
IT994	A000YG1100001	8055773341562	Pressostato Trif. NEMA - Tree Ph. NEMA Pressure Switch	400/50/3	12	4x1/4"	10 - 16	10	1	Box